

## SIGNOLIT® SI 130 Semi-Matte 145g Economy Multi-Purpose Poster Film

<b>Description</b>	<i>Material</i>	- white polypropylene film
	<i>Coating</i>	- microporous coating
	<i>Properties</i>	- multi-purpose use, also as synthetic paper and for backlit applications - good scratch-resistance - reduced reflections on the printed surface - brilliant colour reproduction
	<i>Application</i>	- indoor
	<i>Printing Systems</i>	- bubblejet and piezo
	<i>Inks</i>	- water-based dye and pigmented, latex
<b>Examples of use</b>	<i>Indoor</i>	- posters, POS, roll-up displays, exhibition panels, illuminated advertising
<b>Laminating</b>	It is necessary to protect the surface if it is subject over a long time to abrasion or any other mechanical influences, to dirt or humidity. The lamination can be done right to the edges or over the edges. The user should check before using what is more appropriate. If dye inks are used, SI 130 must be laminated indoor and outdoor to improve light-fastness and smudge-proofness. We recommend to use self-adhesive PP laminating foils for cold lamination.	
<b>Technical data</b>	<i>Base material</i>	white polypropylene film
	<i>Thickness</i>	~ 150 µm
	<i>Grammage</i>	~ 145g/m <sup>2</sup>
	<i>Opacity</i>	~ 0,70
	<i>Core</i> <i>Dimensions</i>	76mm Ø 914 mm x 50 m 1067 mm x 50 m
<b>Storage</b>	After printing the remaining roll must be removed from the plotter and stored in its closed original packing in a cool and dry environment.	
<b>Disposal</b>	The left-over pieces of film can be treated as industrial waste and incinerated. Nevertheless, it is absolutely necessary to follow the local regulations in force in the waste treatment plants.	



Digit Bt.  
1125 Budapest, Istenehegyi út 29. Phone: +36 1 2245456  
Email: info@digit.hu Web: www.nagyformatumu.hu Webshop: www.digitdisplay.eu